

**AMENDMENTS TO THE CLAIMS**

**This listing of claims will replace all prior versions and listings of claims in the application:**

**LISTING OF CLAIMS:**

1. (original): Closure device (100; 200; 300) intended to be mounted on an opening (41) of a fluid product reservoir (4), said device being formed as a single piece by injection moulding plastic material and comprising:

- a fixing member (110; 210; 310) intended to cooperate with the reservoir opening to form a sealed attachment,
- a dispensing duct (120; 220; 320) forming an outlet passage (121; 221; 321) for the fluid product contained in the reservoir, said duct forming a dispensing orifice (122; 222; 322),
- a closing member (13; 23; 33) to close and seal said duct, said closing member being joined to the dispensing duct (120; 220; 320) by at least one bridge of material (132; 232; 332) intended to be broken when the closing member is first removed, characterized in that said closing member (130; 23; 33) comprises a sealable part (131; 231; 234; 331; 334) said sealable part, before sealing, leaving the dispensing orifice clear and, after sealing, closing the dispensing orifice in sealed manner (122; 222; 322).

2. (original): Closure device as in claim 1, wherein the closing member (13; 23; 22) said dispensing duct (120; 220; 320) and said at least one bridge of material (132; 232; 332) are formed as a single piece.

3. (original): Closure device as in claim 1, wherein the sealable part is deformable and can be welded to itself.

4. (currently amended): Closure device as in claim 1, ~~2 or 3~~ wherein the sealable part comprises a fixed element (231; 331), connected to the duct by at least one bridge of material, and a sealing cap (234; 334) intended to be fixed irremovably on the fixed element, said cap closing and sealing the dispensing orifice.

5. (original): Closure device as in claim 4, wherein the cap is connected articulated fashion to the fixed element.

6. (original): Closure device as in claim 5, wherein the cap and the fixed element are formed as a single piece.

7. (currently amended): Closure device as in claim 4 ~~any of claims 4 to 6~~, wherein the cap is welded onto the fixed element.

8. (currently amended): Closure device as in claim 4~~any of claims 4 to 7~~, wherein the cap forms a sealing bush (238; 338) intended to come into sealed contact with the duct (220; 320) for its sealed closing.

9. (currently amended): Closure device as in claim 1~~any of the preceding claims~~ wherein the bridge of material (332) extends continuously around a duct (320) also forming a sealed junction between the duct (320) and the closing member (33).

10. (currently amended): Closure device as in claim 1~~any of the preceding claims~~ wherein the closing member (130; 23; 33) comprises a peripheral sleeve connected at one end to the outside of the duct by said at least one bridge of material, said sleeve comprising an opposite peripheral end forming the sealable part (131; 231; 331).

11. (currently amended): Closure device as in claim 1~~any of the preceding claims~~ wherein the duct and the closing member are provided with snap-fit means (123; 133; 223; 233; 323; 333) intended to cooperate after the breaking of said at least one bridge of material.

12. (original): Closure device as in claim 11 wherein the snap-fit means (123; 133) form sealing means closing the duct.

Preliminary Amendment  
National Stage of PCT/FR2004/000581

13. (currently amended): Closure device as in claim 1 ~~any of the preceding claims~~ wherein the fixing member comprises a fixing appendage (110; 210; 310) on which the opening (41) of a flexible pouch (4) is intended to be fixed, advantageously by welding.